SHROOT et al Div. of Appln. No. 07/803,965 Page -2-

line 25, change "6.(4-tert.butyl phenyl)" to --6-(4-tert.butyl phenyl)--.

IN THE CLAIMS

Cancel Claim 1 without prejudice.

Please add the following claims:

A process for preparing a compound having the formula

T330X


R₂

comprising coupling, in an anhydrous solvent and in the presence of, as a reaction catalyst, a transition metal or a complex thereof, a magnesium, lithium or zinc derivative of a compound of the formula

T331X

with a halogenated naphthalene compound of the formula

T332X



√> wherein

 $P \setminus T3\%X$ R₁ represents (i) $C-R_6$ or (ii) $-CH_2OH$

 R_6 represents -N or OR_7 wherein R_7 represents hydrogen,

alkyl having 1-20 carbon atoms, monohydroxyalkyl or

polyhydroxyalkyl, r' and r" represent hydrogen, lower alkyl, mono
or polyhydroxyalkyl, aryl or a residue of an amino acid or an
amino sugar selected from the group consisting of glucosamine,
galactosamine and mannosamine, or together form a heterocycle
selected from the group consisting of piperidino, piperazino,
morpholino and pyrrolidino,

- R₂ represents hydrogen, branched or straight chain alkyl having 1-15 carbon atoms, alkoxy having 1-4 carbon atoms or a $\frac{1}{1}$ cycloaliphatic radical,
- R₃ represents hydrogen, hydroxy, branched or straight chain alkyl having 1-4 carbon atoms, alkoxy having 1-10 carbon atoms, a // cycloaliphatic radical selected from the group consisting of 1- methyl cyclohexyl and 1-adamantyl, a thiocycloaliphatic radical, or -O-Si(CH₃)₂-R₈ wherein R₈ represents linear or branched lower (3 1) alkyl,